


355-XXX

Rev.
E

APPLICATION DRAWING



PART NO.	HOLE	FINISH
355-136	.136 (3.45mm)	100% TIN OVER COPPER
355-169	.169 (4.29mm)	100% TIN OVER COPPER
355-196	.196 (4.98mm)	100% TIN OVER COPPER
355-220	.220 (5.59mm)	100% TIN OVER COPPER
355-250-1	.220 (5.59mm)	60% tin 40% lead HOT SOLDER DIP
355-250	.250 (6.35mm)	100% TIN OVER COPPER
355-280	.280 (7.11mm)	100% TIN OVER COPPER

MATERIAL
.020 (0.51mm) BRASS

RoHS COMPLIANT

Zierick Product Related Recommendations are general guidelines only. Since each customer's design, process and application is different it is necessary that customers thoroughly test our products in specific applications.

ZIERICK

Radio Circle Drive
Mount Kisco, New York 10549

FLAT SOLDER TERMINAL

THIS DOCUMENT AND THE CONFIDENTIAL INFORMATION CONTAINED HERE ARE THE PROPERTY OF ZIERICK MANUFACTURING CORPORATION AND MAY NOT BE USED IN WHOLE OR IN PART IN ANY WAY, OR COMMUNICATED TO ANY PARTY OTHER THAN THE RECIPIENT WITHOUT THE EXPRESS PRIOR WRITTEN CONSENT OF ZIERICK MANUFACTURING CORPORATION.

355-XXX

E